

GRANDE

GRANDE-94

GRANDE-108

GRANDE-166

GRANDE-181

GRANDE-194

DUNAVOX

20
YEARS

[↑ RETURN TO HOME](#)

al

DUNAVOX AROUND THE WORLD



MORE THAN
40
COUNTRIES AROUND THE WORLD

MORE THAN
100
MODELS

10
PRODUCT FAMILIES

Celebrating 20 years of global excellence

For twenty years, Dunavox has been synonymous with uncompromising quality in wine storage and preservation. Renowned as an award-winning brand, Dunavox blends minimalist design with outstanding functionality, advanced technology and meticulous engineering to create wine coolers that are both highly energy-efficient and exceptionally reliable.

Marking two decades of innovation, Dunavox today offers Europe's most extensive portfolio of more than hundred premium wine coolers. Distributed through a worldwide network of partners and supported by dedicated subsidiaries in the United Kingdom, Spain, Italy, Netherlands and Germany, Dunavox provides expert guidance, technical assistance and comprehensive after-sales service across the globe.

DUNAVOX Kft., Hungary - Headquarters

2151 Fót, Fehérkő utca 8/B
Phone: +36 27 594 054
Email: info@dunavox.com

DUNAVOX Deutschland GmbH, Germany

84056 Rottenburg Dieselstrasse 34
Phone: +49 8781 2014130
Email: deutschland@dunavox.com

DUNAVOX Benelux B.V., The Netherlands

Industrieweg 4H, Woerden
Phone: +31 085 0601720, WhatsApp: +31 615 444081
Email: nederland@dunavox.com, belgie@dunavox.com

DUNAVOX Italia s.r.l, Italy

31031 Caerano di San Marco
Phone: +39 0423 650022
Email: info@dunavox.it

DUNAVOX GB Ltd., The United Kingdom

Unit 3 Central Trading Estate, Chester, CH4 8SX
Phone: 01244 681 369
Email: sales.gb@dunavox.com

DUNAVOX Iberia sl, Spain & Portugal

08402 Granollers-Barcelona, C/ Pallars 6, planta 7ª
Phone: +34 938 700 895
Email: iberia@dunavox.com

DUNAVOX Poland Business Development Team, Poland

Phone: +48 661 955 506
Email: kontakt.polska@dunavox.com



DUNAVOX TECHNOLOGY

Optional door opening

The ideal solution for your kitchen

Push-to-open

A gentle push allows the door to open smoothly, providing effortless access to the bottles inside while preserving a clean, handle-free appearance and a refined, contemporary design character.



Handle

Available with a sleek black door and matching black handle, or a timeless Inox finish paired with a stainless steel handle — both featuring the classic door-opening mechanism. The integrated handle ensures smooth and intuitive manual operation.



Hidden handle

Elegantly recessed handles create a clean, contemporary look, enhancing the overall design with a refined, sophisticated, and timeless aesthetic.



Various door technology

Revolutionary design

Various door & finish options

Choose from black full glass, stainless steel, matt black or overlay panel finishes – ensuring a flawless fit with any kitchen design.



RAL colour door

Our exclusive bespoke service allows customers to select any RAL shade for their wine cooler, creating a perfectly coordinated match with their kitchen décor. In addition to the full colour palette, we offer three refined surface finishes — matt, high gloss, or metallic — ensuring a truly personalised and exceptional result. To complement the customised exterior, colour-matched shelves can also be selected, available in Mahogany, Dark Walnut, or Black, allowing the interior presentation to reflect the same design vision with complete harmony and sophistication.



Overlay Panel option

The overlay panel door option allows the wine cooler to blend seamlessly into your kitchen design, completely concealed behind matching cabinetry. A furniture panel identical to your kitchen fronts can be mounted on the cooler, ensuring a harmonious and integrated look.




Discreet technology, maximum experience

Ventilation, design and security in one

Integrated ventilation system

Designed for seamless installation beneath countertops or within cabinetry columns, without the need for additional plinth ventilation, thereby preserving the clean and streamlined aesthetics of the kitchen.



Front grille ventilation

The ventilation grille must be kept free; the warm air produced by the compressor is expelled through one side and the cooler air is drawn in on the other via a set of silent fans which enable the cooler to ventilate correctly. If running a plinth in front of the wine cooler, a grille must be installed into the plinth itself to ensure adequate ventilation and any heat sources near to the cooler will likely reduce the life span of the fridge, namely the compressor itself.



Integrated door alarm

An integrated door alarm provides additional peace of mind by alerting you if the door is left open or not fully closed. This smart feature helps maintain stable temperature conditions inside the cooler and prevents unnecessary energy consumption. Subtle and reliable, it ensures both your wines and your appliance remain perfectly protected.



Where fine wine meets smart design

Smart cooling - smart lighting - smarter living


Single & dual temperature zones

Dunavox wine coolers are available with one or two cooling zones. Configuring the desired temperature is easy at single, dual or even three cooling zone wine coolers.



WIFI & Smart App

Stay effortlessly connected to your collection. Monitor and adjust your cooler from anywhere with WiFi and a dedicated smart app.



Multi LED light

Tailor the ambience with adjustable white, amber or blue lighting, and a choice of modes to suit every occasion.



Various display technologies

A smarter way to chill - beautifully displayed

TFT touch screen

An intuitive, full-colour touch display provides smooth, responsive navigation, giving you complete control over every function and setting directly at your fingertips.



LCD touch screen

The device features detailed touch controls with enhanced functionality, displaying multiple settings and offering users the ability to customize various options according to their preferences.



LED touch screen

A clear, elegant interface for setting temperatures and lighting at the touch of a button.



Shelving systems

Choose the one that suits you best

Telescopic wooden shelves

Extendable, smooth sliding, telescopic shelves provide full visibility and access to all bottles of your collection. Access your wines easily with shelving that pulls all the way out.



Label view shelves

The shelving is designed to provide clear label visibility while maintaining a clean, well-organised interior. Its structured layout keeps bottles neatly aligned and contributes to a balanced, refined overall look.



Opened bottles storage (HOME)

Home series offers a unique feature to store opened bottles in the wine fridges in standing position. The front part of the unit is designed for standing bottle storage.



Places of use

Use the wine cooler - wherever you want

Yacht & Ship installations

Indulge in the luxury of perfectly chilled wines at sea with our state-of-the-art wine fridges aboard cruise ships. Designed to preserve the delicate flavors and aromas of your favorite vintages, our sleek and efficient wine fridges ensure that every sip is as delightful as the first. Elevate your onboard experience with the convenience and sophistication of expertly stored wines, enhancing every moment of your voyage.



Freestanding installations (HOME)

These coolers can't be built-in or place under a counter. Only the freestanding installation is allowed because these coolers don't have a regular front grid where the ventillation can be done. For proper functioning the units require free space around them. The condenser is installed inside the corpus, this means the heat extraction happens at the sides and at the top of the cooler. That's why it's crucial to let these units stand freely.



Outdoor placement

Dunavox wine coolers are intended to use indoor, however if you follow a few conditions the units can also be used outdoors. Keep the fridge out of direct sunlight, and install it in a covered area protected from rain. Do not keep the unit outside when the ambient temperature fall below 18°C.



DUNAVOX

PICTOGRAMS

1

1 Cooling zone

A single-temperature wine cooler designed for storing one type or style of wine at a consistent, ideal temperature. Perfect for long-term preservation of either reds or whites, ensuring stable conditions throughout the cabinet.

2

2 Cooling zone

A dual-zone wine cooler equipped with two separate temperature compartments. Perfect for storing white, rosé, and red wines at their optimal serving or preservation temperatures within one unit.



Push-to-open

A gentle press opens the door automatically, reflecting the clean aesthetics of today's handle-less kitchen design while offering effortless accessibility.




Handle

Classic and functional design: black doors are paired with matching black handles, while Inox doors feature stainless-steel handles. Both provide a refined and ergonomic door-opening solution.



WIFI & Smart App

Stay connected to your collection wherever you are. Through integrated Wi-Fi and a dedicated smart app, you can monitor and control your cooler remotely with precision and ease.



TFT touch screen

A full-colour TFT display provides intuitive navigation for easy setting adjustment and precise temperature control.



LCD touch screen

The sophisticated LCD display offers detailed control options and provides comprehensive feedback on the appliance's operation and settings. Additionally, its customizable lighting functions enhance overall user comfort.



LED touch screen

An intuitive LED interface enables simple temperature and lighting adjustments. Designed for quick operation and elegant visual clarity.



Hidden handle door

A discreetly recessed handle offers a minimalist, contemporary look, aligning with the latest under-counter design trends and premium kitchen aesthetics.



Multi LED light

Adjustable multi-colour LED lighting allows you to create the perfect atmosphere. Choose between white, amber, or blue tones, with various modes to match any setting or mood.



Integrated ventilation

The integrated ventilation system allows seamless integration anywhere in your home without extra plinth vents. The unit is self-ventilating, simplifying installation and avoiding special furniture planning, while preserving clean kitchen aesthetics and optimal cooling.




Overlay Panel

An optional overlay door panel allows full visual integration with your kitchen furniture. The wine cooler can be concealed behind matching cabinetry for a flawless, built-in appearance.



Telescopic wooden shelves

Crafted from high-quality wood, these smooth-gliding telescopic shelves extend for easy access and perfect visibility of your wine collection.



Label view shelves

The shelf configuration supports clear label presentation and an orderly interior, ensuring bottles remain neatly positioned and visually well arranged.



Champagne & Prosecco

This dedicated configuration is optimised for storing champagne and prosecco, providing the ideal temperature range for sparkling wines. Shelving and spacing are tailored to accommodate larger bottle formats securely.



Yacht & Ship approved

Dunavox wine coolers bring luxury to life at sea, offering perfect preservation even aboard yachts and cruise vessels. Each model safeguards delicate aromas and flavours, elevating onboard dining with refined wine service.



UV light protection

A UV-filtered glass door protects wines from the harmful effects of sunlight, preserving their aroma and structure. Direct exposure to sunlight should still be avoided to maintain optimal cellar conditions and product longevity.




Integrated

Integrated units are designed for installation within kitchen cabinetry. They require rear ventilation and a plinth grille for airflow; without this, cooling may be compromised. Models with an integrated ventilation system need no rear or plinth ventilation.



Undercounter

Undercounter models are designed to fit neatly beneath kitchen worktops, blending seamlessly into the cabinetry. Selected models may also be used as freestanding units, offering installation flexibility without compromising performance.



Fully integrated or undercounter

Thanks to integrated ventilation system, Dunavox coolers can be built into columns or counters with ease. Available across the Noble, Prime, Horizon and Spirit collections.



Bottle loading

Bottle loading diagrams show the maximum number of bottles that fit in the cabinet. Actual capacity varies with bottle shape and size, and larger or usual bottles may reduce the total. For details, refer to the product's user manual.




Zone temperatures

Cooling temperatures can be precisely set between 5°C and 20°C in single-zone models. In dual-zone versions, temperatures can be adjusted separately, typically between 5°C and 12°C in the upper zone and 12°C and 20°C in the lower zone.



Noise (dB)

Specifies the average noise emission level of the unit, expressed in decibels (dB). Dunavox coolers are engineered for quiet and low-vibration operation, ensuring minimal disturbance in living or kitchen spaces.



Soft-close hinge

This precision-engineered hinge provides a smooth and controlled door movement through soft-close technology. It eliminates slamming, ensures silent operation, and contributes to both user comfort and product longevity.

DUNAVOX COLLECTION



GRANDE

GRANDE-94	11
GRANDE-108	12
GRANDE-166	13
GRANDE-181	14
GRANDE-194	15

GRANDE

CRAFTED FOR COLLECTORS

GRANDE

DX-94
DX-108
DX-166
DX-181
DX-194



GRANDE-94



Black Glass DX-94.270DBK EAN: 5999558431563



2

Cooling zone

94



39dB



5-12°C
12-20°C




Telescopic
wooden shelves



UV light
protection




Multi LED
light



TFT touch
screen



WIFI &
Smart app






Door options



Black Glass

**Display shelf: 5+5



FEATURES

Installation type

Freestanding or built-in

Bottle capacity

94

Type of opening

Hidden handle

Type of hinges

Regular (Pivot)

Display type

TFT touch screen

Operating instructions

Can be built-in, do not cover front grill

Installation requirements

Front grille ventilation

Shelf

Telescopic wooden shelves & display shelf

Low vibration

Yes

Interior light

Multi LED side light (white, amber, blue)

WIFI & Smart App

Yes

PERFORMANCE

Cooling zones

2

Cooling ranges

5-12°C // 12-20°C

Heater

Yes

Energy class

G

Power consumption

159 kWh/a

Rated power

220-240V, 50Hz, 0,86A

Product dimensions (HxWxD) in mm

1215x595x680

Packing dimensions (HxWxD) in mm

1260x660x760

Noise level

39dB

Cooling type

Fan assisted cooling, compressor

Glass door

UV protected, 3 layers of glass, reversible

TECHNICAL INFORMATION

Bottle types

Bordeaux, rhine

Handle colour / Dimensions

-

Lock

Yes

Door opening sensor

Yes

Display colour

Colorful display

Number of shelves

7

Shelf height in mm

1x160mm | 2x105mm | 1x100mm | 3x105mm | 1x100mm

Internal air circulation

Yes, 1 fan

Carbon filter

Yes

Internal dimensions (HxWxD) in mm

1025x515x535

Net / Gross weight

72kg / 77kg

Dimension of ventilation grille in mm

Depth 45mm Height: 100mm

Climate class

St, N

Refrigerant type / Amount

R600a / 44g

Power cord length

2 m

Ventilation type

Front plinth ventillation

Temperature memory function

Yes, in case of power failure

Defrosting

Manual

Total volume

261 l

Recommended use

Domestic/HoReCa

Internal humidity

50-80%

Cabinet material / Colour

Metal / Black



*The maximum bottle capacity of the appliance depends on the type and size of the wine bottles stored inside.

**One display shelf replaces two regular shelves.

GRANDE-108



Black Glass DX-108.330DB EAN: 5999558435684



2

Cooling zone

101

39dB

5-12°C
12-20°C



Telescopic wooden shelves

UV light protection

Multi LED light

TFT touch screen

WIFI & Smart app





Door options



Black Glass

FEATURES	PERFORMANCE
Installation type	Cooling zones
Freestanding or built-in	2
Bottle capacity	Cooling ranges
101	5-12°C // 12-20°C
Type of opening	Heater
Handle	Yes
Type of hinges	Energy class
Regular (Pivot)	G
Display type	Power consumption
TFT touch screen	155 kWh/a
Operating instructions	Rated power
Can be built-in, do not cover front grill	220-240V, 50Hz, 1,3A
Installation requirements	Product dimensions (HxWxD) in mm
Front grille ventilation	1670x595x580
Shelf	Packing dimensions (HxWxD) in mm
Telescopic wooden shelves & display shelf	1720x660x640
Low vibration	Noise level
Yes	39dB
Interior light	Cooling type
Multi LED side light (white, amber, blue)	Fan assisted cooling, inverter compressor
WIFI & Smart App	Glass door
Yes	UV protected, 3 layers of glass, reversible

TECHNICAL INFORMATION	
Bottle types	Dimension of ventillation grille in mm
Bordeaux, rhine	Depth 45mm Height: 100mm
Handle colour / Dimensions	Climate class
Black - 560mm	St, N
Lock	Refrigerant type / Amount
Yes	R600a / 50g
Door opening sensor	Power cord length
Yes	2 m
Display colour	Ventilation type
Colorful display	Front plinth ventillation
Number of shelves	Temperature memory function
11	Yes, in case of power failure
Shelf height in mm	Defrosting
1x155mm 5x95mm 1x180mm 5x95mm	Manual
Internal air circulation	Total volume
Yes, 2 fans	324 l
Carbon filter	Recommended use
Yes	Domestic/HoReCa
Internal dimensions (HxWxD) in mm	Internal humidity
1475x520x445	50-80%
Net / Gross weight	Cabinet material / Colour
79kg / 89kg	Metal / Black



*The maximum bottle capacity of the appliance depends on the type and size of the wine bottles stored inside.
**One display shelf replaces two regular shelves.

Scan me to know more.




166





39dB



WIFI &
Smart app



RAL



2026.V.1 Copyright Dunavox Kft. All rights reserved. www.dunavox.com



**One display shelf replaces two regular shelves.

PERFORMANCE

Yes

UV protected, 3 layers of glass, reversible

102kg / 114kg

Metal / Black

GRANDE-181



Black Glass DX-181.490DBK EAN: 5999558431631
Inox DX-181.490SDSK EAN: 5999558431969
Matt Black DX-181.490DMB EAN: 5999558435929
RAL Colour DX-181.490DCK EAN: 5999558435974



2

Cooling zone



181



40dB



5-12°C
12-20°C



Telescopic wooden shelves



UV light protection



Multi LED light



TFT touch screen



WIFI & Smart app



Door options



Black Glass



Inox



Matt Black







RAL

FEATURES	PERFORMANCE
Installation type Freestanding or built-in	Cooling zones 2
Bottle capacity 181	Cooling ranges 5-12°C // 12-20°C
Type of opening Handle	Heater Yes
Type of hinges Regular (Pivot)	Energy class G
Display type TFT touch screen	Power consumption 197 kWh/a
Operating instructions Can be built-in, do not cover front grill	Rated power 220-240V, 50Hz, 1,1A
Installation requirements Front grille ventilation	Product dimensions (HxWxD) in mm 1835x655x680
Shelf Telescopic wooden shelves & display shelf	Packing dimensions (HxWxD) in mm 1970x700x745
Low vibration Yes	Noise level 40dB
Interior light Multi LED side light (white, amber, blue)	Cooling type Fan assisted cooling, compressor
WIFI & Smart App Yes	Glass door UV protected, 3 layers of glass, reversible


TECHNICAL INFORMATION	
Bottle types	Dimension of ventilation grille in mm
Bordeaux, rhine	Depth 45mm Height: 100mm
Handle colour / Dimensions	Climate class
Black/stainless steel - 960mm	St, N
Lock	Refrigerant type / Amount
Yes	R600a / 52g
Door opening sensor	Power cord length
Yes	2 m
Display colour	Ventilation type
Colorful display	Front plinth ventilation
Number of shelves	Temperature memory function
13	Yes, in case of power failure
Shelf height in mm	Defrosting
1x165mm 5x100mm 1x105mm 6x100mm 1x105mm	Manual
Internal air circulation	Total volume
Yes, 2 fans	482 l
Carbon filter	Recommended use
-	Domestic/HoReCa
Internal dimensions (HxWxD) in mm	Internal humidity
1645x570x535	50-80%
Net / Gross weight	Cabinet material / Colour
108kg / 121kg	Metal / Black



**Display shelf: 6+6



2026.V.1 Copyright Dunavox Kft. All rights reserved. www.dunavox.com



*The maximum bottle capacity of the appliance depends on the type and size of the wine bottles stored inside.
**One display shelf replaces two regular shelves.

↑ RETURN TO HOME

GRANDE-194



Black Glass DX-194.490BK EAN: 5999558431945
Inox DX-194.490SSK EAN: 5999558431952
Matt Black DX-194.490MBK EAN: 5999558435936
RAL Colour DX-194.490CK EAN: 5999558435981



1

Cooling zone

183

40dB

5-20°C


Telescopic wooden shelves

UV light protection

Multi LED light

TFT touch screen

WIFI & Smart app



Door options



Black Glass



Inox



Matt Black







RAL

FEATURES	PERFORMANCE
Installation type	Cooling zones
Freestanding or built-in	1
Bottle capacity	Cooling ranges
183	5-20°C
Type of opening	Heater
Handle	Yes
Type of hinges	Energy class
Regular (Pivot)	G
Display type	Power consumption
TFT touch screen	179 kWh/a
Operating instructions	Rated power
Can be built-in, do not cover front grill	220-240V, 50Hz, 1,1A
Installation requirements	Product dimensions (HxWxD) in mm
Front grille ventilation	1835x655x680
Shelf	Packing dimensions (HxWxD) in mm
Telescopic wooden shelves & display shelf	1970x700x745
Low vibration	Noise level
Yes	40dB
Interior light	Cooling type
Multi LED side light (white, amber, blue)	Fan assisted cooling, compressor
WIFI & Smart App	Glass door
Yes	UV protected, 3 layers of glass, reversible

TECHNICAL INFORMATION	
Bottle types	Dimension of ventillation grille in mm
Bordeaux, rhine	Depth 45mm Height: 100mm
Handle colour / Dimensions	Climate class
Black/stainless steel - 960mm	St, N
Lock	Refrigerant type / Amount
Yes	R600a / 52g
Door opening sensor	Power cord length
Yes	2 m
Display colour	Ventilation type
Colorful display	Front plinth ventillation
Number of shelves	Temperature memory function
14	Yes, in case of power failure
Shelf height in mm	Defrosting
1x130mm 14x95mm	Manual
Internal air circulation	Total volume
Yes, 2 fans	496 l
Carbon filter	Recommended use
No	Domestic/HoReCa
Internal dimensions (HxWxD) in mm	Internal humidity
1645x570x535	50-80%
Net / Gross weight	Cabinet material / Colour
106kg / 116kg	Metal / Black



**Display shelf: 6+6



2026.V.1 Copyright Dunavox Kft. All rights reserved. www.dunavox.com



*The maximum bottle capacity of the appliance depends on the type and size of the wine bottles stored inside.
**One display shelf replaces two regular shelves.